Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	117	(reader\$1 interrogator\$1 scanner\$1) near15 integrate\$1 near6 (gps locat\$4 position\$4).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/12/21 17:38
L2	6	L1 and ("340/572."\$.ccls. "235"/435-486.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/21 17:46
L3	46	(reader\$1 interrogator\$1 (barcode\$1 bar-code\$1) near2 scanner\$1) near5 (within integral\$ integrate\$1 embed\$ in) near5 (gps)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/21 17:39
L4	54	(reader\$1 interrogator\$1 scanner\$1) near5 (integral\$ integrate\$1 embed\$ in) near5 (gps)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF -	2007/12/21 17:40
L5	13	3 not 4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/12/21 17:42
L6		5 and @ad<="19960327"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/21 17:48
L7	5791	340/572.1-572.9.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/21 17:46

	<u> </u>		T			1
L8	18849	"235"/435-486.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/21 17:47
L9	1020	340/539.13.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/21 17:47
L10	220	7 and 9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/21 17:47
L11	104	10 and gps	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/21 17:48
L12	0.	11 and @ad<="19960327"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/21 17:48
S1	4136	(read\$3 interrogat\$4 scann\$3) near15 integrat\$4 near6 (gps locat\$4 position\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/13 21:43
S2	116	(reader\$1 interrogator\$1 scanner\$1) near15 integrate\$1 near6 (gps locat\$4 position\$4).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/13 21:47

S3	6	S2 and ("340572."\$.ccls. "235"/\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/13 21:46
54	4	S2 and ("340572."\$.ccls. "235"/435-486.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/21 17:38
S5	86	(reader\$1 interrogator\$1 scanner\$1) near15 integrate\$1 near6 (gps locat\$4 position\$4) and gps	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/14 10:08
S6	20	S5 and ("340/572."\$.ccls. "235"/435-486.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/13 21:48
S7	29	("20020167405"   "20030174049"   "3938316"   "4454483"   "5117756"   "5565858"   "5583819"   "5649295"   "5701127"   "5751220"   "5867535"   "5912632"   "5940006"   "5952922"   "6043748"   "6046683"   "6064320"   "6084530"   "6127928"   "6243013"   "6259991"   "6356161"   "6388532"   "6404325"   "6472943"   "6639509"   "6784789"   "6917291"   "7026935").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/12/13 21:58
S8	6	S7 and gps .	US-PGPUB; USPAT; USOCR	OR	OFF	2007/12/13 22:21
S9	2	(("5563607") or ("5751246")).PN.	USPAT	OR	OFF	2007/12/13 22:21
S10	54	(reader\$1 interrogator\$1 scanner\$1) near5 (integral\$ integrate\$1 embed\$ in) near5 (gps)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/12/21 17:40

S11	33	(reader\$1 interrogator\$1 (barcode\$1 bar-code\$1) near2 scanner\$1) near5 (integral\$ integrate\$1 embed\$ in) near5 (gps)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/21 17:39
S12	21	S10 not S11	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/14 10:20
S13	1702	(reader\$1 interrogator\$1 scanner\$1) near5 (integral\$ integrate\$1 embedded in of within "with" inside part portion) near5 (position\$3 location\$1 locating gps) and @ad<="19960327" not \$10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/12/14 10:26
S14	776	(reader\$1 interrogator\$1 (barcode\$1 bar-code\$1 code\$1) near2 scanner\$1) near5 (integral\$ integrate\$1 embedded in of within "with" inside part portion) near5 (position\$3 location\$1 locating gps) and @ad<="19960327" not \$10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/14 10:27
S15		(reader\$1 interrogator\$1 (barcode\$1 bar-code\$1 code\$1) near2 scanner\$1) near5 (integral\$ integrate\$1 embedded in of within "with" inside part portion) near5 (position\$3 location\$1 locating gps) and @ad<="19960327" not \$10 and gps	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/14 10:27